



TUBE MILL

THE PRESENT QUALITY IS SUBSEQUENT MARKET



石家庄腾迪机械设备贸易有限公司
Shijiazhuang Tengdi Machinery Trading Co., Ltd.

石家庄新华区中华北大街298号颐宏大厦A-1609
No. 298, Zhonghua Street, Xinhua District, Shijiazhuang City, Hebei Province, China

0311-68032581

www.tengdimc.com



石家庄腾迪机械设备贸易有限公司
Shijiazhuang Tengdi Machinery Trading Co., Ltd.

ABOUT US

关于我们



Shijiazhuang Tengdi Machinery Trading Co, Ltd. integrates R&D, production, sales and service.

Factory area: 8000 square meters;
Company personnel: 50;
Engineer team: 10 engineers, 3 senior engineers;
Sales and operations Team: 10
Two joint ventures, 30 engineers totally.

Following the concept of independent innovation, the Tengdi team has designed a series of production lines that are easy to operate and maintain.

This is just a small part of the reasons why customers trust Tengdi.

石家庄腾迪机械贸易有限公司集研发、生产、销售、服务于一体。
厂房面积:8000平方米;
公司人员:50人;
工程师团队:工程师10人,高级工程师3人;
销售和运营团队:10;
两家合资企业,共计30名工程师。
腾迪团队遵循自主创新的理念,设计了一系列易于操作和维护的生产线。

这只是客户信任腾迪的一小部分。



WORKSHOP INSTANCE

车间实况



PURCHASE WORKSHOP

置备车间



部件加工区
Parts processing area

成品存放区
Finished product storage area


板材激光切割机
Plate laser cutting machines

配件摆放专用柜
Special cabinets for accessories

▶ TD89 ROUND TO SQUARE TUBE MILL




▶ Round Pipe: $\phi 32-89(\text{mm})$ Square/Rectangular: $25*25-70*70(\text{mm})$ Pipe Thickness: $1.0-4.5(\text{mm})$ Production Speed: $60-100(\text{m}/\text{min})$



▶ **TD127** ROUND SQUARE MULTIFUNCTIONAL QUICK CHANGE TUBE MILL



▶ Round Pipe: $\phi 32-127(\text{mm})$ Square/Rectanglar: $50*25-140*60(\text{mm})$ Pipe Thickness: $0.9-4(\text{mm})$ Production Speed: $20-80(\text{m}/\text{min})$




▶ **TD273** ROUND SQUARE MULTIFUNCTIONAL QUICK CHANGE TUBE MILL




▶ Round Pipe: $\phi 89-273(\text{mm})$ Square/Rectanglar: $70*70-210*210(\text{mm})$ Pipe Thickness: $3.0-10.0(\text{mm})$ Production Speed: $20-50(\text{m}/\text{min})$

▶ TD 219 DFM TUBE MILL



▶ Round Pipe: $\phi 76-219(\text{mm})$ Square/Rectangular: $60*60-170*170(\text{mm})$ Pipe Thickness: $3.0-8.0(\text{mm})$ Production Speed: $25-50(\text{m}/\text{min})$

▶ TD500 ELECTRIC ROLLER ADJUSTMENT TUBE MILL



▶ Square/Rectangular: 500*500 (mm) Pipe Thickness:6.0-19.0(mm) Production Speed:10-25(m/min)

▶ TD200 ELECTRIC ROLLER ADJUSTMENT TUBE MILL



▶ Square/Rectangular: 200*200 (mm) Pipe Thickness:4.0-12.0(mm) Production Speed:10-35(m/min)

持续稳定 高效安全
我们只选用优良品质与品牌的零配件 (以下列举品牌)

CONSISTENTLY SAFE HIGH-QUALITY
Our First- Class components with dramatic impact on your bottom line

CUSTOMER CASE
客户案例



COOPERATION BRAND
合作品牌



我们的服务
售前技术支持
设计, 研发
空载试机
售后支持

OUR SERVICE
PRE-SALES TECHNICAL SUPPORT
R&D
IDLE PRE-TEST
AFTER SALES ASSISTANCE

CONTACT US

